Monument Regulations



Rosedale Cemetery &

Moose Jaw Cemeteries

Table of Contents

Definitions	
General Cemetery Monument Regulations	
Work Initiated Before Approval	
Authorization	
Hours of Installation	3
Monument Permits	3
Monument Permit Fee	∠
Monument Companies	
Monument Installations	
Flagging Graves for Installation	
Monument Assembly	5
Monument Inscriptions	
Memorialization of Social Services Graves	
Memorialization of Individuals Not Buried in the Cemetery	
Additional Inscriptions on Monuments	
Sub-Bases	
Removal of Monuments	
Footstones and Cornerstones	
Ornaments on Graves	
Pictures and Photographs	
Plaques	
Urn Inside Monument	
Columbarium Memorialization	
Scattering Garden Memorialization	
Monument Maintenance	
Monument Regulations for Rosedale Cemetery	
Blocks 1-9, Block 10 (Lots 1-7 and 9-15), Block 11 (Lots 1-169), Blocks 15-19, Blocks 21-23	
Block 12, Block 13, Block 24, Block 25	
Block 14	
Block 20	
Block 36, Block 38, Block 39	
Block 40	
Veterans' Graves - Block 10 (Lots 8 and 8A), Block 11 (Lots 184-201), Block 11 A	
	15
Children's Graves	
Community Graves	
Monument Regulations for the Moose Jaw Cemeteries – Old and New	
All Sections with the Exception of the Veterans' Section – Block 12	
Veteran's Graves – Block 12 FORM A – Monument Permit Application	
FORM B – Registration Record Application	
FORM C – Authorization to Move or Remove Monument	

CITY OF MOOSE JAW CEMETERY MONUMENT REGULATIONS

Definitions

In these regulations:

"Bylaw" means The Cemetery Bylaw;

"Cemetery Office" means the office located within the Parks & Recreation Department at City Hall:

"ornament(s)" includes flower holders or vases, solar lights, crosses, statues and any other decorative item that meets the requirements under section 20) 2. of these regulations.

Words or expressions defined in section 2 of the Bylaw have the same meaning in these regulations.

General Cemetery Monument Regulations

Work Initiated Before Approval

The City accepts no responsibility for any monument work initiated prior to the approval of the monument permit application. Any monument installed prior to approval are subject to removal by Cemetery staff. The City is not responsible for any monuments constructed/ordered before approval of the permit.

Authorization

The Licensee or their Authorized Decision-Maker shall be the authority with respect to the requested placement of a monument on a grave. The City does not accept any responsibility for resolving disputes between surviving family members or friends resulting from the placement of a monument.

Hours of Installation

Only monument work approved by a monument permit application submitted to the Cemetery Office shall be carried out. Any work to be carried out other than during normal business hours of the Cemetery as listed in the Bylaw, requires approval of the Director.

Monument Permits

The City of Moose Jaw Monument Permit Application ("Form A"), is required for the installation or any physical alteration of a foundation, base, sub-base or monument.

Alterations include but are not limited to:

- the addition of a vase;
- the inscription of additional names; or
- the addition of a cast bronze plaque.

Monument Permit Applications shall be submitted by a monument company and must be signed by the Licensee or their Authorized Decision-Maker.

In the case of a social services or community grave where the City retains the ownership of the

grave, Monument Permit Applications shall be signed by the Authorized Decision-Maker of the deceased.

Monument Permit Fee

Monument permit fees shall be established as follows:

- one (1) permit fee for installation in blocks without existing foundation; and
- one (1) permit fee for installation in blocks where the foundation is supplied by the City (Blocks 36, 38, 39 and 40 of Rosedale and Block 12 of Moose Jaw New).

Monument Permit Applications for alterations to existing foundations, bases, sub-bases or monuments shall be charged the fee for installation in blocks without existing foundation.

The payment of the monument permit fee is due at the time application is made.

Monument Companies

Companies installing monuments in City Cemeteries are required to provide the City with the following:

- City of Moose Jaw business license;
- letter of good standing from the Workers Compensation Board; and
- proof of a Commercial Liability Insurance policy in the amount of \$5 Million with the City of Moose Jaw named as an additional insured.

Monument Installations

The installation of monuments where a casket burial has taken place must wait a minimum of (1) year before placing a monument unless there is an existing foundation supplied by the City. This allows the ground to settle and be topped up as required.

Unless authorized by the Director, alterations to an existing monument require that all current monument regulations be met and must include a foundation, base and monument.

The monument company is responsible for the installation of all foundations, bases, sub-bases, monuments, cast bronze plaques, vases, and any other monument work.

All persons employed in the erection of monuments or in doing any other work on a grave or plot in the Cemeteries, shall be subject to the direction and control of the Cemetery Supervisor and shall be responsible for the cost of restoration or repair of any damages to the Cemetery grounds or fixtures resulting from their actions.

No person shall place or erect any monument or marker or make any alterations to any structure in the Cemeteries unless the following conditions have been met:

- Monument Permit Application has been submitted to the City and approved;
- the Cemetery Supervisor has flagged the center of each grave location for the monument is to be installed.

Monuments are placed in the Cemetery at the risk of the Licensee or the applicant. The City accepts no responsibility for theft or damage resulting from vandalism.

The City accepts no responsibility for degrading of markers and monuments due to normal wear or

deterioration.

Flagging Graves for Installation

Cemetery staff will flag the location for new markers/monuments within seven (7) business days of the application being approved. (Subject to weather and cemetery conditions)

Monument Assembly

Any monument erected must have the base and monument joined, front and back, by use of a non-permanent setting compound. Monuments cannot be permanently attached or pinned to the concrete foundation.

Monument Inscriptions

The name(s) inscribed on the front a monument must match the name(s) corresponding to the Cemetery records for burials and reserves in the grave(s).

Inscriptions on the back of monuments are subject to the following:

- only short verses and/or one (1) small message is permitted;
- only one (1) surname is permitted; and
- no reference to date of birth or death permitted.

Inscriptions are subject to any exceptions identified within the Monument Regulations.

Memorialization of Social Services Graves

Monuments are permitted on social services graves without recovery of the previous forgiven license fee.

Monuments placed on double depth social services graves must have room to accommodate the name of the second individual interred within the grave.

Memorialization of Individuals Not Buried in the Cemetery

Where a monument is to be erected or altered as a memorial to a person not interred in the Cemetery, the Registration Record Form ("Form B"), must be completed and submitted to the Cemetery Office.

Fees for the registration of monument inscriptions for persons buried elsewhere are applicable as per the current Cemetery Rates and Fees.

The monument permit fee (without foundation) is applicable for the alterations to the monument.

Additional Inscriptions on Monuments

At the request of the Licensee or the Authorized Decision-Maker, the names of individuals buried in the plot may be added to the front of an existing monument. A Monument Permit Application must be completed and submitted to the Cemetery Office.

The monument permit fee (without foundation) is applicable for the alterations to the monument.

Sub-Bases

Sub-bases are not permitted in areas of the Cemetery where pillow/sloped monuments are required such as Block 40, Block 14 and Block 20 (Lots 1 - 79).

Only one (1) sub-base is permitted and must meet the following requirements:

- must be installed between the existing base and the monument;
- can be the same size as the base, but not larger than the existing base;
- the base, sub-base and monument must not exceed a total height of 36";
- rock-pitched sides are not required but the original base must be rock-pitched; and
- sub-base must be made of granite.

Removal of Monuments

No monument may be moved or removed from or within the Cemetery without an Authorization to Remove Monument form ("Form C"), being completed by the Licensee or their Authorized Decision-Maker and provided to the Cemetery Office.

Footstones and Cornerstones

Footstones and cornerstones are generally not permitted.

Matching footstones are permitted on existing family plots where one or more footstones presently exist. New installations must be same size, shape and colour to match the existing and require a foundation. There must be a 6" border on all four sides of the footstone around the foundation. If adding or altering more than one (1) footstone, a continuous strip foundation is recommended.

No cornerstone(s) indicating the boundaries of any grave or plot shall be permitted, except where the boundaries of any grave currently exist.

Ornaments on Graves

Ornaments are not permitted in Old Veteran Sections, Blocks 10 (Lot 8 & 8A), Block 11 (Lots 184-193) and Block 11A.

Ornaments may be permitted in all other Cemetery sections outside of the Old Veteran Sections, so long as they meet the following requirements:

- they must be made of a durable material;
- they must be permanently secured to the base, sub-base or monument;
- they must not overhang edges of base;
- they must be permanently affixed and positioned so that no part extends beyond the length or width of the base;
- marble or granite vases shall be restricted to a minimum thickness of 1" at any point; and
- vases are not permitted to be more than 6" higher than a monument with a total height limit of 36" from the ground.

Pictures and Photographs

Pictures are to be countersunk to a depth that leaves approximately 1/8" extending from the face or front of a monument, securely fastened and completely sealed with monument setting compound. The use of frames, covers or fasteners are not permitted.

Plaques

Only cast bronze plaques or scrolls with cast letters are permitted, provided they are secured in a manner that ensures they will not separate from the monument, base or sub-base.

Urn Inside Monument

Cremated remains in an urn can be interred inside of a monument, base or sub-base.

Only one (1) urn is permitted within the headstone area.

The monument would need to comply with the current monument regulations and a Monument Permit Application would need to be completed, submitted and approved prior to installation.

Columbarium Memorialization

Memorialization is permitted on the front of the niche and will be standardized. The cost of memorialization is in addition to the license fee per the Cemetery Rates. Memorialization arrangements are to be made by contacting the Cemetery Office.

A niche cannot be engraved for preneed purchase except in the case of a double memorial where one interment has already taken place. A niche cannot be returned to the City if engraved.

Columbarium vases and installation must be arranged directly with the Cemetery Office. Cost will be in addition to the license fee and memorialization fee.

Scattering Garden Memorialization

Scattering garden memorialization is permitted by way of a plaque being installed on the ends of the North and South outdoor columbaria facing the Scattering Garden. Plaques will be standardized, and the cost is in addition to the scattering fee per the Cemetery Rates.

Memorialization plaque orders are to be arranged by contacting the Cemetery Office.

Monument Maintenance

The Licensee or the Authorized Decision-Maker shall have the right and obligation to preserve and maintain any monument placed in the Cemetery under the terms pursuant in the Bylaw and these monument regulations which may be amended by City Council from time to time.

The City shall not be liable for the loss of or damage to any monument, marker, or other object located in the Cemetery and reserves the right to temporarily move or remove any monument or marker for the purposes of performing necessary maintenance and/or for opening graves.

Should any permanent marker or monument placed in the Cemeteries be in a state of disrepair, the following steps will be taken:

- the Director will give notice in writing to the Licensee or next of kin to have the monument or marker repaired within 90 (ninety) days from the date of the said notice;
- should the owner fail to comply with the notice, the Director or their designate will determine the course of action;
- if repair is not possible, the monument or pieces of the monument will be buried within the Cemetery and the Cemetery will record this action.

Monument Regulations for Rosedale Cemetery

Blocks 1-9 Block 10 (Lots 1-7 and 9-15)

Block 11 (Lots 1- 169) Blocks 15-19 Blocks 21-23

<u>Foundation</u>	<u>Base</u>	<u>Monument</u>
-Max 4'0" wide	-Min 6" high	-Any monument style accepted
-Max 2'6" thick	-Granite	(upright, sloped, flat)
-MUX 2 0 ITIICK		-Granite or marble
-Concrete or granite	-Rock pitched on all 4 sides	
-Min 3" high	Single Foundation	-Cannot be larger than the base
-Will 5 Tilgit	(Covers only 1 grave)	-Cast bronze plaques are permitted to
-Installed flush with ground	ZII la aval ava ava alli A stala a	be installed on top of the base but
-Centered on the grave(s)	-6" border on all 4 sides	cannot overhang the base
-cernered on the grave(3)	Continuous Foundation	Upright Monuments
	(Covers multiple graves)	-Min 1'0" wide x 3" thick x 1'0" high
	-6" border on all exposed sides	Sloped Monuments
	-min 3" between bases	-Min 1'0" wide x 1'0" thick x 6"/4" slope
		EL LAG
		Flat Monuments -Min 1'0" wide x 1'0" thick x 4" high
		Total height of the base, sub-base, and
MONUMENT TOTAL HEIGHT TOTAL HEIGHT WIDTH		

Block 12

Block 13

Block 24

Foundation	Base	Monument
-Max 3'9" wide	-Min 6" high	-Any monument style accepted (upright, sloped, flat)
-Max 2'6" thick	-Granite	-Granite or marble
-Concrete or granite	-Rock pitched on all 4 sides	
-Min 3" high	Single Foundation	-Cannot be larger than the base
-Installed flush with ground	(Covers only 1 grave) -6" border on all 4 sides	-Cast bronze plaques are permitted to be installed on top of the base but
-Centered on the grave(s)		cannot overhang the base
	Continuous Foundation (Covers multiple graves)	Upright Monuments -Min 1'0" wide x 3" thick x 1'0" high
	-6" border on all 4 sides -min 3" between bases	Sloped Monuments -Min 1'0" wide x 1'0" thick x 6"/4" slope
		Flat Monuments -Min 1'0" wide x 1'0" thick x 4" high
		Total height of the base, sub-base, and monument must not exceed 36"
MONUMENT TOTAL HEIGHT THICKNESS BASE FOUNDATION (FLUSH WITH GROUND) WIDTH		

	_	
Foundation	Pasa	Manumant
roundation	DUSE	l Monument
	<u> </u>	- INCHESTICAL

-Max 4'0" wide	-Min 6" high	-Only sloped monuments accepted
-Max 2'6" thick	-Granite	-Granite or marble
-Concrete or granite	-Rock pitched on all 4 sides	-Cannot be larger than the base
-Min 3" high	Single Foundation (Covers only 1 grave)	-Min 1'0" wide x 1'0" thick
-Installed flush with ground	-6" border on all 4 sides	-Sloping must be 6"/3" up to 8"/5"
-Centered on the grave(s)	Continuous Foundation (Covers multiple graves)	-Exception is an open book bible design slope of 8" varying to 9" x 5" varying to 6"
	-6" border on all 4 sides -min 3" between bases	Sub-bases are not permitted
MONUMENT TOTAL HEIGHT TOTAL HEIGHT WIDTH		

<u>roundation</u> <u>Base</u> <u>Monument</u>	Foundation	<u>Base</u>	Monument
---	------------	-------------	----------

-Max 4'0" wide -Min 6" high Lots 1 – 79 -Only sloped monuments accepted -Max 2'6" thick -Granite -Granite or marble -Concrete or granite -Rock pitched on all 4 sides -Cannot be larger than the base -Min 3" high Single Foundation (Covers only 1 grave) -Sloping must be 6"/3" up to 8"/5" -Installed flush with ground -6" border on all 4 sides -Exception is an open book bible -Centered on the grave(s) design slope of 8" varying to 9" x 5" <u>Continuous Foundation</u> varying to 6" (Covers multiple graves) Sub-bases are not permitted -6" border on all exposed sides -min 3" between bases Lots 80 – 237 -Any monument style accepted (upright, sloped, flat) -Granite or marble -Cannot be larger than the base -Cast bronze plaques are permitted to be installed on top of the base but cannot overhang the base **Upright Monuments** -Min 1'0" wide x 3" thick x 1'0" high Sloped Monuments -Min 1'0" wide x 1'0" thick x 6"/4" slope Flat Monuments -Min 1'0" wide x 1'0" thick x 4" high Total height of the base, sub-base, and monument must not exceed 36" MONUMENT TOTAL **HEIGHT** SUB-BASE THICKNE

WIDTH

Block 36

Block 38

Foundation	Base	Monument
-Existing foundation is provided -4'0" wide -2'0" thick	-Min 6" high -Granite -Rock pitched on all 4 sides -Set 6" from the front of the foundation with a min of 3" border on each side and 1" on the back except last monument of each foundation strip must have 6" border on the exposed end	-Any monument style accepted (upright, sloped, flat) -Granite or marble -Cannot be larger than the base -Cast bronze plaques are permitted to be installed on top of the base but cannot overhang the base Upright Monuments -Min 1'0" wide x 3" thick x 1'0" high Sloped Monuments -Min 1'0" wide x 1'0" thick x 6"/4" slope Flat Monuments -Min 1'0" wide x 1'0" thick x 4" high Total height of the base, sub-base, and monument must not exceed 36"
MONUMENT TOTAL HEIGHT THICKNESS BASE FOUNDATION (FLUSH WITH GROUND) WIDTH		

Foundation	Base	Monument
<u>roonaanon</u>	<u> </u>	Monomeni

-Existing foundation is provided	-Min 6" high	-Only sloped monuments accepted
-4'0" wide	-Granite	-Granite or marble
-2'0" thick	-Rock pitched on all 4 sides	-Only 1 monument permitted per grave
	-Centered on the foundation	-Cannot be larger than the base
(Level A and B combined)	over the grave	-Min 1'0" wide x 1'0" thick
	-Set 6" from front of foundation with a min of 3"	-Sloping must be 6"/4" up to 8"/5"
	border on each side and 1" on back except at the end of the strip foundation which must have 6" border on exposed end	-Exception is an open book bible design slope of 8" varying to 9" x 5" varying to 6"
		Sub-bases are not permitted
MONUMENT TOTAL HEIGHT WIDTH		

Veterans' Graves Block 10 (Lots 8 and 8A) Block 11 (Lots 184-201)

Block 11A

<u>Foundation</u>	<u>Base</u>	<u>Monument</u>
-Max 4'0" wide	-No base is permitted	-Only upright monuments accepted
-Max 2'6" thick		-Barre grey granite
-Concrete or granite		-Tablet must be 15" wide x 3" thick x 39" high (32" above the ground)
-Min 3" high		-Allows for memorialization of 1 person
-Installed flush with ground		other than the veteran, (such as their spouse, child or grandchild), by
-Centered on the grave(s)		allowing a cast bronze plaque or inscription to be installed on the front or back of the upright tablet, if space permits
		-Such plaque or inscription may include the name, year of birth, and year of death of the memorialized person
		-A standard font must be used.
MONUMENT TOTAL HEIGHT THICKNESS BASE FOUNDATION (FLUSH WITH GROUND) WIDTH		

Veterans' Graves Block 37

<u>Foundation</u>	Base	Monument
-Existing foundation is	-Min 4" high	-Only sloped monuments accepted
provided	J	, ,
(10)	-Granite	-Barre grey granite
-4'0" wide	-Rock pitched on all 4 sides	Single Grave
-2'0" thick	-Rock piletted off dif 4 sides	-Min 1'8" wide x 1'0" thick x 6"/4" slope
	-Centered on the foundation	
	over the grave	<u>Double Grave</u>
	-Set 6" from front of	-Min 2'6" wide x 1'0" thick x 6"/4" slope
	foundation with a min of 3"	-Inscription on the veteran monument
	border on each side and 1"	must include the veteran's rank, unit
	on back except at the end	served in, service number, and a Latin
	of the strip foundation which must have 6" border on	cross or emblem of armed forces
	exposed end	-Inscription on spouse monument is
	5.,p 555 G 511 G	freedom of choice
		-The memorialization on the veteran
		monument of one person (such as, their spouse, child, or grandchild) other
		than the veteran is permitted by
		allowing a cast bronze plaque or
		inscription to be installed on the top of
		the base
		-Photos are permitted to be placed on
		the monument so long as they comply
		with the conditions set out in these
		monument regulations.
MONUMENT		
THICKNESS	BASE FOUNDATION (FLUSH WIDTH	


Children's Graves

D	Monument
BOSE	Monument
5430	74101101110111
	<u>Base</u>

-Max 2'0" wide	-Min 4" high	-Upright and sloped monuments accepted			
-Max 2'6" thick	-Granite				
-Concrete or granite	-Rock pitched on all 4 sides	-Granite or marble			
-Min 3" high	-Max 1'6" wide	-Cannot be larger than the base			
_		-Cast bronze plaques are permitted to			
-Installed flush with ground	-Max 1"0" thick	be installed on top of the base but cannot overhang the base			
-Centered on the grave(s)	-Max 6" border on all 4 sides				
		Upright Monuments -Min 1'0" wide x 3" thick x 8" high			
		Sloped Monuments			
		-Min 1'0" wide x 8" thick x 6"/3" slope			
		Total height of the base, sub-base, and monument must not exceed 36"			
MONUMENT TOTAL HEIGHT THICKNESS BASE FOUNDATION (FLUSH WITH GROUND) WIDTH					

Community Graves

	_	
Foundation	D each	Monument
roungation	l bose	Monument



A monument on a community grave automatically becomes the sole property of the City of Moose Jaw, and as such is governed by applicable City and Cemetery rules and regulations.


Monument Regulations for the Moose Jaw Cemeteries – Old and New

All Sections with the Exception of the Veterans' Section – Block 12

	-					
<u>Foundation</u>	<u>Base</u>	<u>Monument</u>				
-Must not be greater than	-Granite	-Any monument style accepted				
the width of grave it is serving	-Rock pitched on all 4 sides	(upright, sloped, flat)				
Serving	-ROCK piletied on all 4 sides	-Granite or marble				
-Must contact the	Regular Graves	Ordinio of marbio				
Cemetery Office to	-Min 6" high	-Cannot be larger than the base				
determine width of the						
grave before completing	<u>Children's Graves</u>	Regular Graves				
Monument Permit	-Min 4" high	-Cast bronze plaques are permitted to				
Application (Form "A")	Single Foundation	be installed on top of the base but cannot overhang the base				
-Max 2'6" thick	(Covers only 1 grave)	Carrior overriaing the base				
Max 2 0 Thek	(33 33 7)	Upright Monuments				
-Concrete or granite	-6" border on all 4 sides	-Min 1'0" wide x 3" thick x 1'0" high				
-Min 3" high	Continuous Foundation	Sloped Monuments				
	(Covers multiple graves)	-Min 1'0" wide x 1'0" thick x 6"/4" slope				
-Installed flush with ground	 -6" border on all 4 sides	Elat Monuments				
-Centered on the grave(s)	Server en an i sides	Flat Monuments -Min 1'0" wide x 1'0" thick x 4" high				
	-min 3" between bases	Will I G Wide X I G Trick X 4 Tright				
	Children's Graves					
		Upright Monuments				
		-Min 1'0" wide x 3" thick x 8" high				
		Sloped Monuments				
	-Min 1'0" wide x 8" thick x 6"/3" sla					
		, i				
		<u>Flat Monuments</u>				
		-Min 1'0" wide x 1'0" thick x 4" high				
		Total beight of the base sub-base and				
		Total height of the base, sub-base, and monument must not exceed 36"				
THICKNES	MONUMEN SUB-BASE BASE FOUNDATION (FLUSH WI WIDTH	TOTAL HEIGHT				

Veterans' Graves
Block 12

<u>Foundation</u>	<u>Base</u>	<u>Monument</u>
-------------------	-------------	-----------------



CITY OF MOOSE JAW FORM A MONUMENT PERMIT APPLICATION

Date:				
Name of Monument	Company:			
Phone and/or Email:				
*The Applicant certifies that h Funeral and Cremation Service		ner/licensee of the	e burial plot or is the	authorized decision-maker as per
olicant's Name:				
one and/or Email:				
Location of Monume	nt:		Signature (of Applicant
			Lot:	Grave(s):
Foundation: Width:_	(left to right)	Thickness:	(front to back)	Height:
Base: Width:_	(left to right)	Thickness:	(front to back)	Height:
Monument: Width:_	(left to right)	Thickness:	(front to back)	Height:
Description of Monum	nent:			
For Office Use Only:				
Application Received	Date	Apı	plication Appro	oved:
Permit Fee:		Cemetery Aut	horized Signature	
Input in Cemetery system (Sto Yellow copy to Cemetery	ne Orchard)	, -	-	

CITY OF MOOSE JAW FORM B REGISTRATION RECORD APPLICATION

Invoiced

of Person Buried / Scattered Elsewhere

Deced	ised In	formation										
Last Nam	e		Given Names				Also Kr	Also Known As M			Maiden Name	
Street Ad	Street Address City								Prov.	Postal Code		
Date of Birth Place of Birth (name of city, town, village of			ity, town, village or	r R.M.) Date of Death			Place of Death (name of city, town, village or R.M.)					
Gender	Age	Marital Status	Occupation	Occupation			Religious Denomination					
Burial I	Burial Information											
Date of Interment					Buria	l Type	[] (Cropp office				
Location	of Burial					Regula	ır [] C	<u>Cremation</u>	1			
Grave Location for Memorialization of Deceased [] Rosedale [] Moose Jaw Old [] Moose J				e Jaw N	lew	Block Lot Grave						
Comments [] Headstone Engraving [] Memorialization Plaque [] Niche Engraving NEXT OF KIN OF DECEASED / GRAVE OWNER												
Last Nam				en Names				Relationship to Deceased				
Street Ad	dress		City	City			Prov	. Posto	al Code	Pho	ne No.	
I submit herewith application for a record of registration as set forth above and accept responsibility for payment of all charges relating to this application. Date Signature of Next of Kin / Grave Owner												
			FOR	OFFIC	E US	E ONLY	<u> </u>					
Receipt N	lo	Payment Mad						G TOT	SST \$_ AL \$_			
i	Payment Made [] Plot Book [] Entered in Stone Orchard []											

CITY OF MOOSE JAW
FORM C
AUTHORIZATION TO MOVE OR REMOVE MONUMENT

	, being the owner or authorized
Representative of the owner, her	
(Monu	ment Company)
to move/remove from	Cemetery the monument located
on Block Lot G	rave(s)
bearing the name(s) of	
Details:	
(Date)	(Signature)

It is required that you forward a copy of this authorization to the Cemetery Office (cemetery@moosejaw.ca) prior to removal.