



Playground Renewal Program

Updated: August 2022



City of Moose Jaw – Parks and Recreation

TABLE OF CONTENTS

| | |
|--|----------|
| Overview | 4 |
| Renewal Program Objective | 4 |
| Current Playground Inventory | 5 |
| Current State | 6 |
| Local Area Demographics (as per 2021 Census) | 6 |
| Playground Design and Replacement Cycles | 6 |
| Playground Setting and Amenities | 6 |
| Assessments and Recommendations | 7 |
| Athabasca St W & 15th Ave NW Park: 1502 Athabasca St W | 7 |
| Hopkins Crescent Park: 1060 Hopkins Cres | 8 |
| Knights of Columbus Park: 1100 Clifton Ave | 9 |
| Westheath Park: 52 Wellington Dr | 10 |
| Peter Pan Park: 265 Coteau St W | 11 |
| Hillcrest Park: 1200 Willow Ave | 12 |
| Smith Park: 1300 Hastings St | 13 |
| Optimist Park: 500 Iroquois St W | 14 |
| Parkhill Park: 1000 Duffield St W | 15 |
| Keith Crescent Park: Keith Cres | 16 |
| Happy Valley Park: 1200 Wolfe Ave | 17 |
| Spring Creek Park: Simcoe Cres | 18 |
| Kiwaniland Park: 3 Dogwood Road | 19 |
| Kinfield Park: 100 Grandview St W | 20 |
| Crescent Park: 220 Fairford St E | 21 |
| Regal Heights: 1400 Block 13th Avenue NW | 22 |
| 4th Ave NW & Oxford St W Park: 409 Oxford St W | 23 |
| VLA Gate Park: VLA Gate & Admiral Cres | 24 |
| East End Park: 850 Ominica St E | 25 |
| Kinsmen Henleaze Park: 1100 Henleaze Ave | 26 |
| 1996 Summer Games Park: 1600 Coteau St W | 27 |

| | |
|---|-----------|
| Veteran's Peace Park: 1604 Admiral Cres | 28 |
| Elgin Park: 1054 8th Ave NW | 29 |
| Kinsmen West Park: 11th Ave NW & West Park Blvd | 30 |
| Sunningdale Athletic Park: 10 Daffodil Dr | 31 |
| West End Park: 1020 Athabasca St W | 32 |
| Bradley Street Park: 10th Ave SW & Bradley St | 33 |
| Iron Bridge Park: Iron Bridge Dr. | 34 |
| Clark Gillies Park: Willow Ave & Oxford St E | 35 |
| Moose Square Park: 600 Stadacona St W | 36 |
| Schedule A – Playground Map | 37 |

OVERVIEW

Public parks and playgrounds are the heart of a community and offer a multitude of benefits that go far beyond giving children something fun to do. They provide children the opportunity to practice and hone key skills including social, emotional, cognitive, and physical skills. Children are constantly learning through play by making new friends, sharing, taking turns, and interacting with other children. This increased interaction with children of all backgrounds and abilities gives kids a more open view of the world and the opportunity to build new relationships. Playgrounds also entice adults to get outside and be active as many families will walk or ride their bikes to playground locations across the city.

When it comes to Parks, Open Space, and Community Recreation the objectives of the City of Moose Jaw Official Community Plan are:

- a) To provide parks and recreation open space sufficient to meet the needs of Moose Jaw's residents, ensuring that these resources are distributed throughout the City in a fair and equitable manner.
- b) To manage all forms of the open space system in a planned and environmentally sensitive manner.
- c) To provide parks, open space and recreational program delivery at a level that aids in the attraction and retention of young families to and in the City.

Renewal Program Objective

The objective of the program is to:

- Identify the current state of City playgrounds as well as opportunities to expand playground offerings through a documented and prioritized renewal program.
- Ensure that effective playground planning and management practices are in place.
- Make sure that playground renewal strongly considers accessibility and inclusivity and that future playgrounds are designed to meet the needs of the local area and community.
- Consider an appropriate mix of playground amenities to suit all ages and abilities.
- Provide demographic information to assist with playground renewal decision making.
- Ensure there is a focus on improving the overall service provision offered at playground locations and that the "play" experience extends beyond the playground unit.

CURRENT PLAYGROUND INVENTORY

There are over 50 public playgrounds in the City of Moose Jaw:

- 30 playground sites managed by the Parks and Recreation Department
- 4 playground sites managed by the Wakamow Valley Authority
- 15 playground sites managed by the local school divisions
- Approximately 3 playground sites on public land leased by third party groups – Hamilton Flats, Caribou Heights, Memorial Field

One of the policies identified in the City's Official Community Plan states that to the extent possible, the City shall attempt to ensure that public open spaces are distributed such that no residential property is located more than 400 meters from the closest public open space.

Considering this, the map provided in 'Schedule A' provides an overview of the playground locations across the City with a 500-meter buffer circled around each site. The map demonstrates that the City has good playground coverage throughout the community and that the immediate focus should be on renewal of existing sites rather than an expansion of sites.



CURRENT STATE

Local Area Demographics (as per 2021 Census)

- The average number of children under the age of 5 within 500m of a City playground is 80.
- The average number of children between 5 and 14 within 500m of a City playground is 169.
- The average number of children between 0 and 18 within 500m of a City playground is 322.

Playground Design and Replacement Cycles

| Item | # of Playgrounds | % Playgrounds |
|--------------------------------------|------------------|---------------|
| Due for Replacement in Next 5 Years | 4 | 13% |
| Due for Replacement in Next 10 Years | 14 | 47% |
| Due for Replacement in Next 15 Years | 17 | 57% |
| Playgrounds with Obsolete Equipment | 6 | 20% |
| Playgrounds in Poor Condition | 2 | 7% |
| Playgrounds in Fair Condition | 9 | 30% |
| Playgrounds in Good Condition | 19 | 63% |
| Target Age of 0 to 12 years old | 7 | 23% |
| Target Age of 5 to 12 years old | 30 | 100% |
| Target Age of 5 to 18 years old | 1 | 3% |
| Fully Accessible Playgrounds | 5 | 17% |

Playground Setting and Amenities

| Item | # of Playgrounds | % Playgrounds |
|-----------------------------------|------------------|---------------|
| Sand Surface | 21 | 70% |
| Engineered Wood Fiber Surface | 7 | 23% |
| Synthetic Surface | 2 | 7% |
| Playgrounds with Swing Sets | 27 | 90% |
| Playgrounds with Benches | 24 | 80% |
| Playgrounds with Picnic Tables | 17 | 57% |
| Playgrounds with Pathway Access | 15 | 50% |
| Playgrounds with Lighting | 10 | 33% |
| Playgrounds with Public Washrooms | 16 | 53% |



ASSESSMENTS AND RECOMMENDATIONS

Athabasca St W & 15th Ave NW Park: 1502 Athabasca St W



Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|----------------|-------------------------|------------------|--------------|--------------------|
| 1990 | 25 | 2015 – 2020 | Unknown | Yes |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|-------------|--------------------------|--------------------------|------------------|----------------------|
| Poor | 5 – 12 yrs | No accessible components | Steel Wood Plastic | Sand | (4) Swings |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|-------------------------|-----------------|------------------|---------------|---------------|-------------------|
| Street | (1) Bench | (1) Wooden | (1) Barrel | Large Trees | Yes – Entire Park |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| No | No | No | No | No | No Park Sign |

Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 2.4 | 40 | 88 | 172 | 2 | 86 |

Recommendations (2023-2027):

- Replace playground structure and surfacing in 2023
 - Recommend playground size to remain the same
 - Consider accessible features and components for children under 5
 - Replace garbage receptacle, bench, and picnic table
 - Keep the current swing set
 - Repair and replace perimeter fence as required

Hopkins Crescent Park: 1060 Hopkins Cres



Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|----------------|-------------------------|------------------|--------------|--------------------|
| Unknown | 25 | Overdue | Unknown | Yes |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|-------------|--------------------------------------|--------------------------|------------------|-----------------------------------|
| Poor | 5 – 12 yrs | Accessible ramping and play features | Steel Wood Plastic | Sand | (6) Swings (2) Riding Features |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|-------------------------|-----------------|------------------|---------------|---------------|--------------------------|
| No | No | No | (1) Barrel | No | Yes – Residential Fences |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| No | Yes | No | No | No | No Park Sign |

Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 2.3 | 97 | 208 | 397 | 3 | 132 |

Recommendations (2023-2027):

- Replace playground structure and surfacing in 2024
 - Recommend playground size to remain the same
 - Consider accessible features and components for children under 5
 - Replace garbage receptacle, add benches, and picnic table
 - Keep the current additional amenities
 - Consider adding a small basketball pad or other feature due to number of older children in neighborhood

Knights of Columbus Park: 1100 Clifton Ave



Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|----------------|-------------------------|------------------|--------------|--------------------|
| 1994 | 25 - 30 | 2019 - 2024 | Unknown | Yes |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|-------------|--------------------------|--------------------|------------------|----------------------|
| Fair | 5 – 12 yrs | No accessible components | Steel Wood | Sand | (8) Swings Digger |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|-------------------------|-----------------|------------------|---------------|-------------------|---------|
| Street | (1) Wood | (1) Wood | (1) Barrel | Yes – Large Trees | Yes |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| No | Yes | No | No | No | Yes |

Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 2.1 | 97 | 204 | 393 | 2 | 197 |

Recommendations (2023-2027):

- Replace playground structure and surfacing in 2026
 - Recommend similar size playground due to number of children/playgrounds in area
 - Consider accessible features and components for children under 5
 - Consider adding a pathway to playground entrances
 - Replace garbage receptacle, bench, and picnic table
 - Keep the current additional amenities
 - Consider adding a small basketball pad or other feature due to number of older children in neighborhood

Westheath Park: 52 Wellington Dr



Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|----------------|-------------------------|------------------|--------------|--------------------|
| Unknown | 25 - 30 | 2022 - 2027 | Blue Imp | Yes |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|-------------|--------------------------|--------------------|------------------|----------------------|
| Fair | 5 – 12 yrs | No accessible components | Steel Wood | Sand | None |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|-------------------------|-----------------|------------------|---------------|-------------------|---------|
| No | (2) Wood | No | (1) Barrel | Yes – Large Trees | Yes |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| No | No | Yes | No | No | No |

Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 2.8 | 122 | 280 | 492 | 2 | 246 |

Recommendations (2023-2027):

- Review replacement plan and additional amenities once final concept plan for the new South Hill School is finalized.
- Strongly consider fully accessible playground at this site when up for replacement.

Peter Pan Park: 265 Coteau St W



Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|----------------|-------------------------|------------------|-------------------------|--------------------|
| 1998 | 25 – 30 | 2023 - 2028 | Little Tikes Commercial | No |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|-------------|--------------------------|--------------------|------------------|-----------------------------------|
| Fair | 5 – 12 yrs | No accessible components | Steel Plastic | Sand | (6) Swings (2) Riding Features |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|-------------------------|-----------------|------------------|---------------|-------------------|---------|
| Street | No | (2) Wood | (1) Barrel | Yes – Large Trees | Yes |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| No | No | No | No | No | Yes |

Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 2.2 | 74 | 148 | 299 | 2 | 150 |

Recommendations (2023-2027):

- Replace playground structure and surfacing in 2027
 - Recommend larger fully accessible playground for this site.
 - Consider synthetic surfacing
 - Add a pathway from park entrances to playground
 - Replace garbage receptacle and add bench
 - Keep the current additional amenities and picnic tables
 - Repair and replace perimeter fence as required

Hillcrest Park: 1200 Willow Ave



Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|----------------|-------------------------|------------------|--------------|--------------------|
| 1999 | 25 – 30 | 2024 - 2029 | Blue Imp | Yes |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|-------------|--------------------------|--------------------|------------------|----------------------------------|
| Fair | 5 – 12 yrs | No accessible components | Steel | Sand | (2) Swings Digger Carousel |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|-------------------------|-----------------|------------------|---------------|---------------|---------|
| Street | No | (1) Steel | (1) Barrel | No | No |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| No | No | Yes | No | No | No |

Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 2.1 | 74 | 131 | 254 | 2 | 127 |

Recommendations (2023-2027):

- Add benches and new garbage receptacle in 2025

Smith Park: 1300 Hastings St



Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|----------------|-------------------------|------------------|-------------------------|--------------------|
| 1999 | 25 – 30 | 2024 - 2029 | Little Tikes Commercial | No |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|-------------|--------------------------|--------------------|------------------|---|
| Fair | 5 – 12 yrs | No accessible components | Steel Plastic | Sand | (2) Swings Small Wood Play Structure |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|-------------------------|-----------------|------------------|---------------|-------------------|---------|
| Yes | No | (3) Wood | (1) Barrel | Yes – Large Trees | No |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| Yes | Yes | Yes | No | No | Yes |

Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 2.5 | 149 | 326 | 597 | 2 | 299 |

Recommendations (2023-2027):

- Add benches and new garbage receptacle in 2025
- Strongly consider fully accessible playground at this site when up for replacement.

Optimist Park: 500 Iroquois St W



Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|----------------|-------------------------|------------------|-------------------------|--------------------|
| 1999 | 25 – 30 | 2024 - 2029 | Little Tikes Commercial | No |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|-------------|--------------------------|--------------------|------------------|----------------------|
| Fair | 5 – 12 yrs | No accessible components | Steel Plastic | Sand | (2) Swings |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|-------------------------|-----------------|------------------|------------------|-------------------|---------|
| Yes | (1) Steel | No | (1) Weatherproof | Yes – Large Trees | No |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| No | No | Yes | No | No | Yes |

Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 2.2 | 44 | 102 | 195 | 4 | 49 |

Recommendations (2023-2027):

- None

Parkhill Park: 1000 Duffield St W



Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|----------------|-------------------------|------------------|--------------|--------------------|
| 1999 | 25 – 30 | 2024 - 2029 | Blue Imp | No |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|-------------|--------------------------|--------------------|------------------|----------------------|
| Fair | 5 – 12 yrs | No accessible components | Steel Plastic | Sand | (4) Swings |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|-------------------------|-----------------|------------------|------------------|-------------------|-------------------|
| Street | (1) Steel | No | (1) Weatherproof | Yes – Large Trees | Yes – Street Side |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| No | No | Yes | No | No | Yes |

Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 2.2 | 105 | 220 | 407 | 2 | 204 |

Recommendations (2023-2027):

- None

Keith Crescent Park: Keith Cres



Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|----------------|-------------------------|------------------|--------------|--------------------|
| 1999 | 25 – 30 | 2024 - 2029 | Blue Imp | Yes |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|-------------|--------------------------|--------------------|------------------|------------------------------|
| Fair | 5 – 12 yrs | No accessible components | Steel | Sand | (4) Swings Basketball Pad |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|-------------------------|-----------------|------------------|------------------|---------------|---------|
| No | (1) Steel | No | (1) Weatherproof | No | Yes |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| No | No | No | No | No | No |

Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 2.2 | 43 | 113 | 214 | 4 | 54 |

Recommendations (2023-2027):

- None

Happy Valley Park: 1200 Wolfe Ave



Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|----------------|-------------------------|------------------|--------------|--------------------|
| Unknown | 25 – 30 | 2025 - 2030 | Unknown | Unknown |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|-------------|--------------------------|--------------------|------------------|----------------------|
| Fair | 5 – 12 yrs | No accessible components | Steel Plastic | Sand | (4) Swings |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|-------------------------|-----------------|------------------|---------------|------------------------|---------|
| Yes – Parking Lot | (1) Steel | (1) Wood | (1) Barrel | Yes – Gazebo and Trees | No |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| No | No | Yes | No | No | No |

Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 2 | 34 | 60 | 118 | 2 | 59 |

Recommendations (2023-2027):

- None

Spring Creek Park: Simcoe Cres



Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|----------------|-------------------------|------------------|--------------|--------------------|
| 2000 | 25 – 30 | 2025 - 2030 | Go-Élan | No |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|-------------|--------------------------|--------------------|------------------|----------------------|
| Good | 5 – 12 yrs | No accessible components | Steel Plastic | Sand | (2) Swings |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|-------------------------|-----------------|------------------|---------------|---------------|---------|
| Street | (1) Wood | No | (1) Barrel | No | No |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| Yes | No | No | No | No | No |

Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 2.7 | 60 | 162 | 297 | 2 | 149 |

Recommendations (2023-2027):

- Add picnic table and replace bench and garbage receptacle in 2025

Kiwaniland Park: 3 Dogwood Road



Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|----------------|-------------------------|------------------|--------------|--------------------|
| 2000 | 25 – 30 | 2025 - 2030 | Go-Élan | No |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|-------------|--------------------------|--------------------|------------------|----------------------|
| Good | 5 – 12 yrs | No accessible components | Steel Plastic | Sand | (4) Swings |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|-------------------------|-----------------|------------------|---------------|---------------|---------|
| Street | (2) Wood | (2) Wood | (1) Barrel | No | Yes |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| Yes | Yes | No | No | No | Yes |

Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 2.5 | 114 | 260 | 499 | 2 | 250 |

Recommendations (2023-2027):

- None

Kinfield Park: 100 Grandview St W

Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|----------------|-------------------------|------------------|--------------|--------------------|
| 2000 | 25 – 30 | 2025 - 2030 | Go-Élan | No |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|--------------------|--------------------------|--------------------|------------------|----------------------|
| Good | 18 months – 12 yrs | No accessible components | Steel Plastic | Sand | (4) Swings |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|-------------------------|-----------------|------------------|---------------|---------------|---------|
| Street | (1) Steel | No | (1) Barrel | No | No |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| No | No | Yes | No | No | Yes |

Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 2.2 | 65 | 126 | 262 | 3 | 87 |

Recommendations (2023-2027):

- None

Crescent Park: 220 Fairford St E



Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|----------------|-------------------------|------------------|--------------|--------------------|
| 2006 | 25 – 30 | 2031 - 2036 | Blue Imp | No |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|--------------------|------------------|--------------------|--------------------------|--|
| Good | 18 months – 12 yrs | Fully Accessible | Steel Plastic | Engineered Wood Fiber | (2) Swings Carousel Small Seesaw |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|-------------------------|-----------------|------------------|---------------|---------------|---------|
| No | (2) Composite | (1) Wood | (1) Barrel | Large Trees | No |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| Yes | Yes | Yes | Yes | No | No |

Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 1.4 | 41 | 85 | 153 | 1 | 153 |

Recommendations (2023-2027):

- Add picnic table and replace garbage receptacle in 2024

Regal Heights: 1400 Block 13th Avenue NW



Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|----------------|-------------------------|------------------|-------------------------|--------------------|
| 2007 | 25 – 30 | 2032 - 2037 | Romperland Play Systems | No |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|-------------|--------------------------|--------------------|------------------|--------------------------|
| Good | 5 – 12 yrs | No accessible components | Steel | Sand | (2) Swings Monkeybars |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|-------------------------|-----------------|------------------|---------------|---------------|---------|
| No | (2) Wooden | No | (1) Barrel | No | No |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| No | Yes | Yes (temp) | No | No | Yes |

Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 2.5 | 132 | 250 | 497 | 2 | 249 |

Recommendations (2023-2027):

- Add picnic table and replace garbage receptacle in 2023
- Strongly consider fully accessible playground at this site when up for replacement.

4th Ave NW & Oxford St W Park: 409 Oxford St W



Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|----------------|-------------------------|------------------|-------------------|--------------------|
| 2007 | 25 – 30 | 2032 - 2037 | GameTime/Playcore | No |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|-------------|--------------------------|--------------------|------------------|----------------------|
| Good | 5 – 12 yrs | No accessible components | Steel Plastic | Sand | (2) Swings |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|-------------------------|-----------------|------------------|------------------|---------------|--------------|
| Street | (1) Composite | No | (1) Weatherproof | No | No |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| No | No | No | No | No | No Park Sign |

Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 2.4 | 136 | 290 | 561 | 2 | 280 |

Recommendations (2023-2027):

- Replace wood edging in 2025

VLA Gate Park: VLA Gate & Admiral Cres



Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|----------------|-------------------------|------------------|-------------------------|--------------------|
| Unknown | 25 – 30 | 2034 - 2039 | Romperland Play Systems | No |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|-------------|--------------------------|--------------------|------------------|----------------------|
| Good | 5 – 12 yrs | No accessible components | Steel Plastic | Sand | (2) Swings |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|-------------------------|-----------------|------------------|---------------|---------------|---------|
| No | No | No | (1) Barrel | No | No |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| Yes | No | No | No | No | No |

Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 2.8 | 38 | 89 | 164 | 3 | 55 |

Recommendations (2023-2027):

- Add bench, picnic table, and garbage receptacle in 2025

East End Park: 850 Ominica St E



Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|----------------|-------------------------|------------------|--------------|--------------------|
| 2009 | 25 – 30 | 2034 - 2039 | Playcraft | No |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|-------------|--------------------------|--------------------|------------------|------------------------|
| Good | 5 – 12 yrs | No accessible components | Steel Plastic | Sand | (2) Swings Carousel |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|-------------------------|-----------------|------------------|------------------|------------------|---------|
| Street | No | (1) Steel | (1) Weatherproof | Some Large Trees | No |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| Yes | No | Yes | No | No | Yes |

Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 2.1 | 64 | 130 | 248 | 2 | 124 |

Recommendations (2023-2027):

- Paint swing set in 2025
- Replace wood edging in 2025

Kinsmen Henleaze Park: 1100 Henleaze Ave



Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|----------------|-------------------------|------------------|--------------|--------------------|
| 2009 | 25 – 30 | 2034 - 2039 | Playcraft | No |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|-------------|--------------------------|--------------------|------------------|----------------------|
| Good | 5 – 12 yrs | No accessible components | Steel Plastic | Sand | (8) Swings |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|-------------------------|-----------------|------------------|---------------|---------------|---------|
| Street | (1) Wood | No | (1) Barrel | Old Dugout | Yes |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| No | No | No | No | No | Yes |

Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 2.3 | 100 | 208 | 411 | 3 | 137 |

Recommendations (2023-2027):

- Replace wood edging in 2025
- Paint swing set in 2025

1996 Summer Games Park: 1600 Coteau St W



Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|----------------|-------------------------|------------------|--------------|--------------------|
| 2010 | 25 – 30 | 2035 - 2040 | Jambette | No |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|-------------|---------------------------|--------------------|------------------|----------------------|
| Good | 5-18 yrs | Accessible Surfacing Only | Steel Plastic | Synthetic | Spray Park |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|-------------------------|-----------------|------------------|---------------|------------------|--------------|
| Street | (1) Steel | (1) Wood | (1) Barrel | Some Large Trees | No |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| Yes | No | Yes | No | No | No Park Sign |

Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 2.7 | 111 | 248 | 442 | 2 | 221 |

Recommendations (2023-2027):

- Add swing set and slide in 2025
- Replace garbage receptacle in 2025

Veteran's Peace Park: 1604 Admiral Cres



Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|----------------|-------------------------|------------------|--------------|--------------------|
| 2010 | 25 – 30 | 2035 - 2040 | Blue Imp | No |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|-------------|--------------------------|--------------------|------------------|----------------------|
| Good | 5-12 yrs | No accessible components | Steel Plastic | Sand | (4) Riding Features |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|-------------------------|-----------------|------------------|-----------------|---------------|---------|
| Yes | (2) Wood | (1) Wood | (1) Wood Barrel | No | No |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| No | No | No | No | No | No |

Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 2.8 | 72 | 159 | 299 | 2 | 150 |

Recommendations (2023-2027):

- Replace and add benches in 2023
- Add pathway connection to playground and outdoor rink in 2023
- Add swing set in 2025

Elgin Park: 1054 8th Ave NW



Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|----------------|-------------------------|------------------|-------------------|--------------------|
| 2014 | 25 – 30 | 2039 - 2044 | GameTime/Playcore | No |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|--------------------|------------------|--------------------|------------------|----------------------|
| Good | 18 months – 12 yrs | Fully Accessible | Steel Plastic | Synthetic | (6) Swings |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|-------------------------|-----------------|-----------------------|---------------|---------------|---------|
| Street | (1) Wood | (2) Steel (2) Wood | (4) Barrels | Gazebo | No |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| Yes | Yes | Yes | No | Yes | Yes |

Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 2.2 | 116 | 240 | 461 | 2 | 231 |

Recommendations (2023-2027):

- Replace benches and garbage receptacles in 2025

Kinsmen West Park: 11th Ave NW & West Park Blvd



Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|--------------------------------|-------------------------|------------------|--------------|--------------------|
| 2015 2021 – Expansion added | 25 – 30 | 2040 - 2045 | Blue Imp | No |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|------------------|------------------|--------------------|--------------------------|--|
| Good | 18 mths – 12 yrs | Fully Accessible | Steel Plastic | Engineered Wood Fiber | (3) Swings (3) Riding Features (1) Interactive Feature |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|-------------------------|-----------------|------------------|-------------------------|---------------|---------|
| Yes | (2) Steel | (3) Steel | (1) Animal/Weatherproof | No | No |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| Yes | Yes | No | No | No | No |

Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 2.8 | 53 | 87 | 179 | 1 | 179 |

Recommendations (2023-2027):

- None

Sunningdale Athletic Park: 10 Daffodil Dr



Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|----------------|-------------------------|------------------|--------------|--------------------|
| 2016 | 25 – 30 | 2041 - 2046 | Playcraft | No |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|------------------|------------------|--------------------|--------------------------|----------------------|
| Good | 18 mths – 12 yrs | Fully Accessible | Steel Plastic | Engineered Wood Fiber | (2) Swings |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|-------------------------|---------------------------|------------------|------------------|-------------------------|---------|
| Small Lot | (1) Composite (1) Wood | No | (1) Animal Proof | Yes – on play structure | No |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| Yes | No | Yes | No | No | Yes |


Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 2.8 | 84 | 200 | 378 | 2 | 189 |

Recommendations (2023-2027):

- Add picnic table in 2025

West End Park: 1020 Athabasca St W



Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|----------------|-------------------------|------------------|--------------|--------------------|
| 2017 | 25 – 30 | 2042 - 2047 | Playcraft | No |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|--------------------|------------------|--------------------|--------------------------|------------------------|
| Good | 18 months – 12 yrs | Fully Accessible | Steel Plastic | Engineered Wood Fiber | (4) Swings Carousel |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|-------------------------|-----------------|------------------|------------------|-------------------|---------|
| Street | (2) Composite | No | (1) Weatherproof | Yes – Large trees | No |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| Yes | No | Yes | No | No | No |

Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 2.2 | 84 | 172 | 327 | 3 | 109 |

Recommendations (2023-2027):

- None

Bradley Street Park: 10th Ave SW & Bradley St



Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|----------------|-------------------------|------------------|--------------|--------------------|
| 2017 | 25 – 30 | 2042 - 2047 | Blue Imp | No |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|-------------|---------------------------|--------------------|--------------------------|------------------------------|
| Good | 5 – 12 yrs | Accessible Surfacing Only | Steel Plastic | Engineered Wood Fiber | (2) Swings Riding Feature |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|-------------------------|-----------------|------------------|------------------|---------------|---------|
| Street | (1) Steel | No | (1) Weatherproof | No | Yes |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| Yes | Yes | No | No | No | No |

Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 2.1 | 72 | 144 | 266 | 2 | 133 |

Recommendations (2023-2027):

- None

Iron Bridge Park: Iron Bridge Dr.



Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|----------------|-------------------------|------------------|--------------|--------------------|
| 2017 | 25 – 30 | 2042 - 2047 | Blue Imp | No |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|-------------|--------------------------|--------------------|------------------|----------------------|
| Good | 5 – 12 yrs | No accessible components | Steel Plastic | Sand | No |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|-------------------------|-----------------|------------------|------------------|---------------|---------|
| No | (1) Steel | (1) Steel | (1) Weatherproof | No | No |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| Yes | Yes | No | No | No | No |

Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 3.1 | 15 | 24 | 50 | 1 | 50 |

Recommendations (2023-2027):

- None

Clark Gillies Park: Willow Ave & Oxford St E



Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|----------------|-------------------------|------------------|--------------|--------------------|
| 2021 | 25 - 30 | 2046 - 2051 | Blue Imp | No |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|------------------|---|--------------------|--------------------------|--|
| Good | 18 mths – 12 yrs | Ground level play features, accessible pathway, and surfacing | Steel Plastic | Engineered Wood Fiber | (2) regular swings, 'U Sway' swing, and a climbing feature |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|------------------------------|--------------------------------|------------------|------------------|---------------|---------|
| Yes – parking lot and street | (2) Steel plus bench in Gazebo | (1) Steel | (1) Weatherproof | Yes – Gazebo | No |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| Yes | No | Yes | No | No | Yes |

Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 1.9 | 87 | 156 | 306 | 1 | 306 |

Recommendations (2023-2027):

- None

Moose Square Park: 600 Stadacona St W



Life-Cycle Data

| Year Installed | Life Expectancy (Years) | Replacement Year | Manufacturer | Equipment Obsolete |
|----------------|-------------------------|------------------|--------------|--------------------|
| 2022 | 25 – 30 | 2047 - 2052 | Blue Imp | No |

Playground Condition & Design

| Overall Condition | Target Ages | Accessibility | Structure Material | Surface Material | Additional Amenities |
|-------------------|------------------|---|--------------------|-----------------------|--|
| Good | 18 mths – 12 yrs | Ground level play features, accessible pathway, and surfacing | Steel | Engineered Wood Fiber | (8) Swings (1) Riding Feature (2) Monkeybars (1) Basketball Pad (1) Spinner (1) Sand Digger |

Playground Setting

| Parking | Benches/Seating | Picnic Tables | Garbage Bins | Shade/Shelter | Fencing |
|-------------------------|-----------------|-----------------------|------------------|-------------------|---------|
| Street | (3) Steel | (1) Wood (1) Steel | (1) Weatherproof | Yes – Large Trees | No |
| Pathway/Sidewalk Access | Lighting | Public Washrooms | Potable Water | Bike Racks | Signage |
| Yes | No | Yes | No | No | Yes |

Area Demographics (within 500m)

| Avg Household Size | Children Under 5 | Children 5 to 14 | Total Children 0-18 | # Playgrounds within 500m | # Children per Playground |
|--------------------|------------------|------------------|---------------------|---------------------------|---------------------------|
| 2.2 | 79 | 180 | 335 | 3 | 112 |

Recommendations (2023-2027):

- None

Schedule A - Playground Map

37

